

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	67216	"324"/\$.ccls.	USPAT	OR	OFF	2005/03/04 13:39
L7	1	"6466036".pn.	USPAT	OR	OFF	2005/03/04 13:39
L8	0	7 and ("not" near5 switch\$5)	USPAT	OR	OFF	2005/03/04 13:39
L9	0	7 and ("not comprising" near5 switch\$5)	USPAT	OR	OFF	2005/03/04 15:16
L10	1	"20020140440"	US-PGPUB; USPAT	OR	OFF	2005/03/04 15:41
L11	1	"6559658".pn.	US-PGPUB; USPAT	OR	OFF	2005/03/04 15:41
L13	1	"4622437".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 15:47
S1	1	"20040104826"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:20
S2	3	("5730165" "6288707" "6466036").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 08:20
S3	6	("4476463" "4622437" "4736191" "5365461" "5457289" "5914465").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/03 12:40
S4	13	("3886447" "4054833" "4806846" "4977480" "5329239" "5343157" "5537054" "5705807" "5726581" "5730165" "6188228" "6242927" "6278283").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/03 12:08
S5	3	("5730165" "6288707" "6466036").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 12:13
S6	0	(S3 or S4 or S5) and ((conduct\$5 and gap) with sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 12:15
S7	0	(S3 or S4 or S5) and ((conduct\$5 with gap) with sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 12:15
S8	0	(S3 or S4 or S5) and ((conduct\$5 with gap) same sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 12:15

S9	1	"6288707".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/03 12:40
S10	1	"5914465".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:05
S11	328	324/658-662.ccls. and ((plurality two many dual multi) near2 (electrode\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 10:17
S12	2	324/658-662.ccls. and (((plurality two many dual multi) near2 (electrode\$1)) with channel)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:13
S13	2	324/658-662.ccls. and (position and (((plurality two many dual multi) near2 (electrode\$1)) with channel))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:16
S14	1236	(capacit\$3 near2 (sensor sensing)) with position	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:54
S15	183	S14 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:58
S16	67	324/658-662.ccls. and (capacit\$3 near2 (sensor sensing)) with position	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 16:32
S17	42	S16 and electrode\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:16
S18	0	"62466036"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:49
S19	4	"6466036"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:49
S20	1695	(capacit\$3 near2 (sensor sensing measure measuring measurement)) with position	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:57

S21	101	S20 and (324/658-662).ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:57
S22	47	345/173-178.ccls. and S14	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:58
S23	34	S22 and electrode\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:58
S24	44	324/663,665,676,678,679.ccls. and ((capacit\$3 near2 (sensor sensing measuring measure measurement)) with position)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 16:34
S25	29	S24 and (electrode\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 16:44
S26	3	("5730165" "6288707" "6466036").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 08:20
S27	32	((determin\$4 sens\$4 detect\$4 measur\$4) near3 (water adj2 level)) with resistor	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:39
S28	4	("6373265" "6530283" "6159761" "6158291").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:35
S29	15	("3727128" "3870953" "4005363" "4165482" "4176339" "4853950" "5083086" "5352994" "5600248" "5748002" "5841273" "6137293" "6268721" "6307380").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:35
S30	100	((determin\$4 sens\$4 detect\$4 measur\$4) near3 (position)) with ((single one lone discrete) near2 resistor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:44
S31	11	S30 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:45
S32	116	((determin\$4 sens\$4 detect\$4 measur\$4) near3 (position)) with (resistive adj2 (sensor detector))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:44

S33	24	S32 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:48
S34	12	(S30 or S32) and 345/173-178. ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:49
S35	151	324/658-662.ccls. and (resistor with (detect\$4 sensor\$4))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 10:18
S36	50	324/658-662.ccls. and (resistor near3 (detect\$4 sensor\$4))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 15:46
S37	1	"5914465".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 13:36